

BISON™

C-Lift M Series

- CONTAINER HANDLING
ANYWHERE, ANYTIME



Putting You In Control

BISON C-LIFTS ARE HIGH CAPACITY CONTAINER LIFTING JACKS THAT PROVIDE A FASTER, SAFER AND MORE ECONOMICAL WAY TO LIFT CONTAINERS ON AND OFF TRUCKS AT FIRST AND LAST MILE LOCATIONS.

With a C-Lift, you'll get more independence and control over your container logistics, and a return on investment through lower operating costs, better asset utilisation and improved safety.



C-Lift M Series

CONTAINER HANDLING ANYWHERE ANYTIME

With no electronics or hydraulics to maintain, the M Series is the simplest and most cost effective container lifting jack in our range.

Capable of lifting 20,000 kg or 44,000 lbs, the M Series is ideal for remote operations, military logistics and sites handling low container numbers.

If budget, portability and easy maintenance are your priority, the M Series is a reliable option that is quick and easy to set up and simply gets the job done.


HIGHLIGHTS

- Quick & intuitive to assemble
- No power supply needed
- Lifts all ISO containers, including high cubes
- Works safely on rough and uneven ground
- Packs down to compact unit for easy transport
- Rugged construction for tough conditions



Compact & Portable

The M Series packs down into a compact unit for transport on a pickup, a truck or inside the container itself. The longest component fits across the width of a container.



Stability In All Conditions

The safe and sturdy tripod design provides a stable lifting base on any firm surface, including on rough and uneven ground.





Simple Mechanical Operation

With no hydraulics, electronics or external power supply required, the M Series is easy to set up, and takes a experienced team less than 10 minutes to lift a container.

High Quality Construction

Combining light weight, high strength steel with a corrosion protective zinc coating and certified chain hoists, each M Series leg is tested to 1.5 times its working load limit prior to leaving our factory.



Reversing Clearance

There is 50cm or 20 inches of clearance for the trailer to reverse between. With simple safety precautions reversing operations can be safely managed.




High Design Safety Factor

Each leg is rated to 50% of the working load limit of the entire system, ensuring safe operation even if the container weight rests on just three or even two legs.



Easy to Handle

The simple kitset design breaks down into several components, all of which can be manhandled safely and easily re-assembled.



M Series Specifications

MODEL	C-Lift M10	
LIFT CAPACITY TOTAL	10,000 kg	22,000 lbs
LIFT CAPACITY PER LEG	5,000 kg	11,000 lbs
LIFT HEIGHT	175 cm	69 in
REVERSING CLEARANCE	50 cm	20 in
FRAME WEIGHT	132 kg	286 lbs
CHAIN HOIST WEIGHT	43 kg	95 lbs
SYSTEM WEIGHT	700 kg	1,540 lbs
OPERATING TEMP	-10°C to +40°C Upgrade chain hoist to reduce the low temp limit	14°F to 104°F
MINIMUM OPERATORS	Two	
CONSTRUCTION	Lightweight high strength steel with zinc coating Puncture proof rubber tyres for portability once assembled Each leg is factory proof tested to 150% x rated load	
DESIGN STANDARD	The M Series is CE compliant and designed in accordance with BS EN 1494:2000+A1:2008, the British Standard for mobile or moveable jacks	

MODEL	C-Lift M20	
LIFT CAPACITY TOTAL	20,000 kg	44,000 lbs
LIFT CAPACITY PER LEG	10,000 kg	22,000 lbs
LIFT HEIGHT	165 cm	65 in
REVERSING CLEARANCE	50 cm	20 in
FRAME WEIGHT	132 kg	286 lbs
CHAIN HOIST WEIGHT	87 kg	191 lbs
SYSTEM WEIGHT	876 kg	1,908 lbs
OPERATING TEMP	-10°C to +40°C Upgrade chain hoist to reduce the low temp limit	14°F to 104°F
MINIMUM OPERATORS	Two	
CONSTRUCTION	Lightweight high strength steel with zinc coating Puncture proof rubber tyres for portability once assembled Each leg is factory proof tested to 150% x rated load	
DESIGN STANDARD	The M Series is CE compliant and designed in accordance with BS EN 1494:2000+A1:2008, the British Standard for mobile or moveable jacks	


M Series Options & Accessories

STANDARD COMPONENTS


- 4 x Kitset Stands
- 4 x Carriers
- 4 x Certified Chain Hoists

OPTIONS & ACCESSORIES

LOW TEMP CHAIN HOISTS	Upgrade to higher spec chain hoists, rated for safe operation in temperatures down to -40 °C or -40 °F.	<input type="checkbox"/>
TRANSPORT FRAME	Customised steel frame for securing and transporting M Series in one unit.	<input type="checkbox"/>
BASIC SERVICE KIT	Base package of spare parts for repairing and maintaining C-Lift M Series.	<input type="checkbox"/>
COMPREHENSIVE SERVICE KIT	Comprehensive package of spare parts for repairing and maintaining C-Lift M Series.	<input type="checkbox"/>



M Series Transport Frame



Optional Transport Frame

For moving the M Series efficiently by land, air and sea, the Transport Frame is an optional accessory featuring a sturdy steel base with forklift pockets, custom brackets, rubber pads and ratchet tie-downs for securing the system, plus rugged cargo boxes for housing the chain hoists, covered with a weatherproof PVC cover.

BISON™

CONTACT

■ EMAIL

sales@suffecta.ru

■ VISIT

www.suffecta.ru

■ PHONE

Russia + 7 495 6468922

1010.01